MINERVA

FASHIONS IN HAND-KNITS

VOLUME 74

PRICE 50¢

THE SCULPTURED LOOK . . . *No. 7400*

(Shown on front cover)

Instructions page 20

No. 7401 . . . DAILY DOUBLE

Instructions page 21

MARY LOUISE CUSTIS—*Fashion Director*

Photography—CONANT-BRADLEY

PRINTED IN U.S.A. FIRST EDITION COPYRIGHT 1948—JAMES LEES AND SONS COMPANY

PEPLUM PORTRAIT . . . *No. 7402*

Designed by AUDREA of Hollywood

Sizes* 14, 16 *and* 18, *two-piece costume,
original knitted of MINERVA MONTEREY

MATERIALS REQUIRED:

Minerva Monterey (1 ounce skein)

	Size 14	Size 16	Size 18
Pearl No. 319	36 Skeins	39 Skeins	42 Skeins

OR

Minerva Velveen (1 ounce ball)

Size 14	Size 16	Size 18
31 Balls	33 Balls	36 Balls

OR

Minerva Nylaine (1 ounce ball)

Size 14	Size 16	Size 18
36 Balls	39 Balls	42 Balls

Knitting Needles: 1 Pair Standard Size 3—14 inch
1 Steel Circular Skirt Needle Standard Size 3—29 inch
2 Double Point Needles Standard Size 3—7 inch (for Cable)

Gauge: 7 Sts. to 1 inch

1 Steel Crochet Hook Size 2

This garment can also be made in Minerva Sports Yarn or Fingering Yarn, using Size 4 Needles. For yarn amounts see Page 30.

Sizes:	14	16	18

SKIRT: With Circular needle cast on

336 Sts. 348 Sts. 360 Sts.

Join, being careful not to twist Sts.

Row 1—

*K.54, P.2, *K.56, P.2, *K.58, P.2,

repeat from * around.

Repeat Row 1 for 4 inches.

Next row decrease 12 Sts. by K.2 together 2 times in each K. Panel.

Next row

*K.52, P.2, *K.54, P.2, *K.56, P.2,

repeat from * around.

Continue to decrease 12 Sts. every 4 inches in this manner (having 2 Sts. less in each K. Panel after each decreasing row) 3 times more, then every 3 inches 2 times.

Sts. on Needle: (22 inches from start)

264 Sts. 276 Sts. 288 Sts.

Work 1½ inches even, then decrease 3 Sts. in each K. Panel (decreasing 18 Sts.), then decrease 18 Sts. every inch 2 times more.

Sts. on Needle:

210 Sts. 222 Sts. 234 Sts.

Work 1 inch even, then decrease 4 Sts. in each K. Panel.

Sts. on Needle:

186 Sts. 198 Sts. 210 Sts.

Work even for 2 inches or desired length (allowing 1½ inches of Ribbing for 30 inch Skirt). Work in Ribbing of K.1, P.1, for 1½ inches, bind off. Crochet casing for elastic (see Page 32) at inside of Ribbing. Work 1 row of S.C. around bottom of Skirt.

PATTERN STITCH: (4 Leaf Clover—5 Sts.)

Row 1—P.5 (right side of work).

Row 2—K.5.

Row 3—Increase 3 Sts. in first St. (K.1, P.1, K.1, P.1, all in same St.), P.3, increase 3 Sts. in next St. (11 Sts.).

Row 4—P.4, K.3, P.4.

Row 5—Increase 1 St. in first St., K.2, increase 1 St. in next St., P.3, increase 1 St., K.2, increase 1 St.

Row 6—P.6, K.3, P.6.

Row 7—Increase 1 St., K.4, increase 1 St., P.3, increase 1 St., K.4, increase 1 St.

Row 8—P.8, K.3, P.8.

Row 9—K.8, P.3, K.8.

Row 10—P.8, K.3, P.8.

Row 11—Slip 1, K.1, pass slip St. over, K.4, K.2 together, P.3, slip 1, K.1, pass slip St. over, K.4, K.2 together.

Row 12—P.6, K.3, P.6.

Row 13—Slip 1, K.1, pass slip St. over, K.2, K2. together, P.3, slip 1, K.1, pass slip St. over, K.2, K2. together.

Row 14—P.4, K.3, P.4.

Row 15—Slip 1, K.1, pass slip St. over, K.2 together, P.3, slip 1, K.1, pass slip St. over, K.2 together.

Row 16—(Cable row) Slip 2 Sts. on first Double Point Needle, place in back of work, slip next 3 Sts. on 2nd Double Point Needle and place in front of work, P. next 2 Sts., then K.3 Sts. from 2nd Double Point Needle, then P.2 Sts. from first Double Point Needle.

Row 17—Increase 1 St. in each of the next 2 Sts., P.3, increase 1 St. in each of the next 2 Sts.

Row 18—P.4, K.3, P.4.

Repeat Pattern from Row 5 to Row 15.

Row 30—Slip 1, K.1, pass slip St. over, K.3, slip 1, K.1, pass slip St. over.

Repeat from Row 3 for each Clover.

Continued on page 24.

POCKET EDITION . . . *No. 7403*

Sizes 12, 14, 16 and 18, two-piece ensemble; jacket, original knitted of MINERVA FINGERING YARN, skirt, original knitted of MINERVA MONTEREY

MATERIALS REQUIRED:

SKIRT:

Minerva Monterey (1 ounce skein)

White	Size 12	Size 14	Size 16	Size 18
No. 318	12 Skeins	14 Skeins	16 Skeins	18 Skeins

Knitting Needles: 1 Steel Circular Skirt Needle Standard Size 2—29 inch

Gauge: 8 Sts. to 1 inch
1 Steel Crochet Hook Size 2

JACKET:

Minerva Fingering Yarn (2 ounce skein)

Del Sarto	Size 12	Size 14	Size 16	Size 18
No. 1539	5 Skeins	5 Skeins	6 Skeins	6 Skeins

OR

Minerva Sports Yarn (2 ounce ball)

Size 12	Size 14	Size 16	Size 18
5 Balls	5 Balls	6 Balls	6 Balls

OR

Minerva Featherdown (1 ounce ball)

Size 12	Size 14	Size 16	Size 18
8 Balls	8 Balls	9 Balls	9 Balls

Knitting Needles: 1 Pair Standard Size 3—14 inch

Gauge: 8 Sts. to 1 inch

1 Steel Crochet Hook Size 2

This Jacket can also be made in Minerva Monterey, Nylaine or Velveen, using Size 2 Needles. For yarn amounts see Page 30.

Sizes:	12	14	16	18

SKIRT:

With Circular Needle cast on
468 Sts. 486 Sts. 504 Sts. 522 Sts.
join, being careful not to twist Sts.

Row 1— *K.21 *K.22 *K.23 *K.24

P.5, repeat from * around (18 K. Panels). Work even for 4 inches.

Next row decrease 18 Sts. around by K.2 together in center of every K. Panel. Continue to decrease in this manner every 3 inches 5 times more.

Sts. on Needle:
360 Sts. 378 Sts. 396 Sts. 414 Sts.

Decrease 18 Sts. as before every 2 inches 2 times, then every inch 5 times (28 inches from start).

Sts. on Needle:
234 Sts. 252 Sts. 270 Sts. 288 Sts.

When Skirt measures 30 inches (or desired length), bind off.

Crochet casing for elastic at waistline (see Page 32). Work 1 row of S. C. around bottom of Skirt.

JACKET—BACK: (P. side is right side of work) with Straight Needles cast on
112 Sts. 120 Sts. 128 Sts. 136 Sts.

Row 1— K.33, P.2 K.37, P.2 K.41, P.2 K.43, P.2
*K.20, P.2 *K.20, P.2 *K.20, P.2 *K.22, P.2

repeat from * once, then K. to end of row.

Row 2— P.33, K.2 P.37, K.2 P.41, K.2 P.43, K.2
*P.20, K.2 *P.20, K.2 *P.20, K.2 *P.22, K.2

repeat from * once, then P. to end of row. Repeat these 2 rows for ½ inch, decrease 1 St. each side, then every inch 4 times more (continuing the 3 K. stripes at center of Back).

Sts. on Needle:
102 Sts. 110 Sts. 118 Sts. 126 Sts.

When work measures 5½ inches from start, increase 1 St. each side, then every 5th row 14 times more.

Sts. on Needle:
132 Sts. 140 Sts. 148 Sts. 156 Sts.

Work even until work measures
14″ 14″ 14½″ 14½″
(or desired length to underarm).

To Shape Armholes: Bind off 6 Sts. at beginning of each of the next 2 rows, then decrease 1 St. each side every other row
10 times 10 times 11 times 11 times

Sts. on Needle:
100 Sts. 108 Sts. 114 Sts. 122 Sts.

When armhole measures
7½″ 8″ 8½″ 8½″

To Shape Shoulders: Bind off
9 Sts. 10 Sts. 10 Sts. 11 Sts.
at beginning of each of the next 8 rows. Bind off remaining Sts. for back of neck.

LEFT FRONT: Cast on
72 Sts. 76 Sts. 80 Sts. 84 Sts.

Row 1—
(wrong side of work) Starting at front edge K.23, P.2,
K.20, P.2, K.25 K.20, P.2, K.29 K.20, P.2, K.33 K.22, P.2, K.35

Row 2—
P.25, K.2, P.20, P.29, K.2, P.20, P.33, K.2, P.20, P.35, K.2, P.22, K.2, P.23.

Repeat these 2 rows for ½ inch, then decrease 1 St. at side edge, then every inch 4 times more (continuing K. stripes). When work measures 5½ inches from start, increase 1 St. at side edge, then every 5th row 12 times more.

Sts. on Needle:
80 Sts. 84 Sts. 88 Sts. 92 Sts.

Continued on page 25.

WHITE MAGIC . . . *No. 7404*

Designed by AUDREA of Hollywood

Sizes 14, 16 and 18, one-piece dress, original knitted of MINERVA MONTEREY

MATERIALS REQUIRED:

Minerva Monterey (1 ounce skein)

	Size 14	Size 16	Size 18
White No. 318 (Color 1)	30 Skeins	33 Skeins	36 Skeins
Radar Blue No. 307 (Color 2)	1 Skein	1 Skein	1 Skein
Hyacinth No. 306 (Color 3)	1 Skein	1 Skein	1 Skein
Canary No. 300 (Color 4)	1 Skein	1 Skein	1 Skein
Ferrara No. 333 (Color 5)	1 Skein	1 Skein	1 Skein

OR

Minerva Velveen (1 ounce ball)

	Size 14	Size 16	Size 18
Color 1	26 Balls	28 Balls	31 Balls
Color 2	1 Ball	1 Ball	1 Ball
Color 3	1 Ball	1 Ball	1 Ball
Color 4	1 Ball	1 Ball	1 Ball
Color 5	1 Ball	1 Ball	1 Ball

OR

Minerva Nylaine (1 ounce ball)

	Size 14	Size 16	Size 18
Color 1	30 Balls	33 Balls	36 Balls
Color 2	1 Ball	1 Ball	1 Ball
Color 3	1 Ball	1 Ball	1 Ball
Color 4	1 Ball	1 Ball	1 Ball
Color 5	1 Ball	1 Ball	1 Ball

Knitting Needles: 1 Pair Standard Size 3—14 inch
1 Steel Circular Skirt Needle Standard Size 3—29 inch

Gauge: 7 Sts. to 1 inch

1 Steel Crochet Hook Size 4

This garment can also be made in Minerva Fingering Yarn or Sports Yarn, using Size 4 Needles. For yarn amounts see Page 30.

Sizes: 14 16 18

SKIRT: With Circular Needle cast on 660 Sts. Join, being careful not to twist Sts.

Row 1—*K.28, P.2, repeat from * around (22 Panels). Repeat Row 1 for 3 inches. Next row K.2 together in center of every K. Panel (22 Sts. decreased). Decrease 22 Sts. in this manner every 2 inches

3 times 4 times 5 times

then every inch

14 times 12 times 10 times

Sts. on Needle: (hipline—23 inches from start)

264 Sts. 286 Sts. 308 Sts.

Work

2″ 1″ 1″

even, decrease 1 St. in every K. Panel, then every inch 2 times more.

On Size 16 work 1 inch even, then decrease one St. in every other K. panel.

On Size 18 work 1 inch even, then decrease one St. in every K. panel.

Sts. on Needle: (27 inches from start)

198 Sts. 209 Sts. 220 Sts.

Work back and forth for 3 inches for placket opening. When Skirt measures 30 inches (or desired length), bind off.

BLOUSE—FRONT: With Straight Needles cast on

93 Sts. 101 Sts. 109 Sts.

Work in Stockinette St. increasing 1 St. each side every 1 inch 5 times, at the same time on 5th row from start, work Pattern from Chart (see Page 29) working 1st St. of Pattern in

24th St. 28th St. 32nd St.

from side edge, increase 2 Sts. in center panel every ½ inch 9 times. After the 77 rows of chart have been worked repeat Pattern from start of chart (always start first St. of next Pattern above center of previous Morning Glory design).

When work measures 6½ inches from start, increase 1 St. each side every row 10 times for Cap Sleeves.

Sts. on Needle:

141 Sts. 149 Sts. 157 Sts.

Increase 1 St. each side of center panel every ¾ inch 12 times, at the same time increase 1 St. each side every inch 8 times and when work measures 10½ inches from start,

To Shape Neck: Bind off center 29 Sts., work each side to Shoulder continuing increases at center panel and sleeve edge.

When sleeve edge measures 8 inches from last increase at underarm,

To Shape Shoulder: Bind off

7 Sts. 8 Sts. 8 Sts.

at side edge every other row

4 times 10 times 6 times

then

8 Sts. — — — 9 Sts.

6 times — — — 4 times

BACK: Work same as Front omitting Neck Opening.

To Shape Shoulders: Bind off

7 Sts. 8 Sts. 8 Sts.

at beginning of each of the next

8 rows 20 rows 12 rows

then

8 Sts. — — — 9 Sts.

at beginning of each of the next

12 rows — — — 8 rows

Bind off remaining Sts. for back of neck.

Sew Shoulder Seams. Sew underarm seams leaving 6 inches open on left side for placket. Sew Blouse to Skirt. Work casing at waist for elastic (see Page 32). Sew slide fastener in placket. Work 1 row of S.C. around bottom of Skirt, Sleeves and Neck.

BELT: Wilshire Belt Salon, Los Angeles.

MATADOR . . . No. 7405

Sizes 14, 16 and 18, one-piece dress, original knitted of MINERVA SPORTS YARN

MATERIALS REQUIRED:

Minerva Sports Yarn (2 ounce ball)

	Size 14	Size 16	Size 18
Brown Mist No. 1414	13 Balls	14 Balls	15 Balls

OR

Minerva Fingering Yarn (2 ounce skein)

Size 14	Size 16	Size 18
13 Skeins	14 Skeins	15 Skeins

OR

Minerva Featherdown (1 ounce ball)

Size 14	Size 16	Size 18
19 Balls	21 Balls	22 Balls

Knitting Needles: 1 Pair Standard Size 2—14 inch

Gauge: 9 Sts. to 1 inch

1 Steel Crochet Hook Size 2

This garment can also be made in Minerva Velveen or Nylaine, using Size 1 Needles. For yarn amounts see Page 30.

PATTERN STITCH: (Multiple of 6 Sts.)

Row 1—*P.1, K.5, repeat from * across.
Row 2—*P.5, K.1, repeat from * across.
Row 3—*K.1, P.1, K.3, P.1, repeat from * across.
Row 4—*K.1, P.3, K.1, P.1, repeat from * across.
Row 5—*K.2, P.1, K.1, P.1, K.1, repeat from * across.
Row 6—*P.1, K.1, P.1, K.1, P.2, repeat from * across.
Row 7—*K.3, P.1, K.2, repeat from * across.
Row 8—*P.2, K.1, P.3, repeat from * across.
Repeat the 8 rows for Pattern St.

Sizes:	14	16	18

SKIRT: (worked in 4 Gores) Cast on

132 Sts. 138 Sts. 144 Sts.

Work in Stockinette St. for ¾ inch, K.1 row on wrong side for turn of hem. Change to Pattern St. and work even for 2 inches, then decrease 1 St. each side, then every inch 16 times more, then every ½ inch 19 times.

Sts. on Needle:

60 Sts. 66 Sts. 72 Sts.

When work measures 30 inches from K. row (or desired length), bind off. Make 3 more Gores the same.

Sew Seams. Turn up hem and sew.

BLOUSE—BACK: Cast on

120 Sts. 132 Sts. 144 Sts.

Work in Pattern St., work even for 1 inch. Increase 1 St. each side, then every ½ inch 11 times more.

When work measures 8 inches from start,

To Shape Armholes: Bind off 6 Sts. at beginning of each of the next 2 rows, then decrease 1 St. each side every other row 9 times.

Sts. on Needle:

114 Sts. 126 Sts. 138 Sts.

When armhole measures 9 inches (measured straight from bound-off Sts. at underarm),

To Shape Shoulders: Bind off

10 Sts. 11 Sts. 12 Sts.

at beginning of each of the next 8 rows, bind off remaining Sts. for back of neck.

LEFT FRONT: Cast on

84 Sts. 90 Sts. 96 Sts.

Work even in Pattern St. for 1 inch. Work increases at side edge and bind off for armhole to correspond with Back, at the same time increase 1 St. at front edge every 1¼ inches 11 times.

When front edge measures 16 inches from start,

Sts. on Needle:

92 Sts. 98 Sts. 104 Sts.

To Shape Neck: Work across

25 Sts. 27 Sts. 29 Sts.

slip these Sts. on St. Holder, bind off 20 Sts., then on remaining Sts. decrease 1 St. at neck edge every other row 7 times, at the same time when armhole measures same as at Back,

To Shape Shoulder: Bind off

10 Sts. 11 Sts. 12 Sts.

at side edge every other row 4 times. Slip Sts. from St. Holder and decrease 1 St. at neck edge every other row 7 times. When front edge measures 17½ inches, bind off.

RIGHT FRONT: Work to correspond with Left Front working first Buttonhole 3 Sts. from front edge and 4 Sts. wide (Buttonholes see Page 32) ½ inch from start. Work 6 more Buttonholes 2½ inches apart.

SLEEVES: Cast on

72 Sts. 72 Sts. 78 Sts.

Work in Stockinette St. for ¾ inch, K. 1 row on wrong side for turn of hem. Change to Pattern St. and work even for 1 inch. Increase 1 St. each side, then every ½ inch 31 times more.

Sts. on Needle:

136 Sts. 136 Sts. 142 Sts.

When Sleeve measures 17 inches (or desired length to underarm), bind off 6 Sts. at beginning of each of the next 2 rows, decrease 1 St. each side every other row

35 times 35 times 32 times

then bind off 2 Sts. at beginning of the next

12 rows 12 rows 18 rows

bind off remaining Sts.

Collar: Cast on 150 Sts. Work in Pattern St. for 3 inches, decreasing 1 St. each side every 3rd row 12 times. Bind off.

Continued on page 26.

COUTURIERE ENSEMBLE . . . *No. 7406*

Sizes 14, 16 and 18, one-piece dress, original knitted of MINERVA MONTEREY dyed to match FORSTMANN FABRICS

Forstmann coat — VOGUE PATTERN No. 6063

MATERIALS REQUIRED:

Minerva Monterey (1 ounce skein)

	Size 14	Size 16	Size 18
Beauvais No. 334	30 Skeins	33 Skeins	36 Skeins

OR

Minerva Velveen (1 ounce ball)

Size 14	Size 16	Size 18
26 Balls	28 Balls	31 Balls

OR

Minerva Nylaine (1 ounce ball)

Size 14	Size 16	Size 18
30 Balls	33 Balls	36 Balls

Knitting Needles—1 Pair Standard Size 2—14 inch
1 Steel Circular Skirt Needle Standard Size 5—29 inch
1 Steel Circular Skirt Needle Standard Size 2—29 inch

Gauge: 8 Sts. to 1 inch (Size 2 Needles)

1 Steel Crochet Hook Size 2

This garment can also be made in Minerva Fingering Yarn, Sports Yarn or Featherdown, using Size 3 and 5 Needles. For yarn amounts see Page 30.

Sizes:	14	16	18

SKIRT: On Size 2 Circular Skirt Needle cast on

528 Sts. 528 Sts. 540 Sts.

join, being careful not to twist Sts. and K. even for 1 inch. P.1 row on right side for turn of hem, then K. even for 2 inches.

Next row decrease 12 Sts. by

K.42 K.42 K.43

K.2 together, around. Decrease 12 Sts. every 3 inches (having 1 St. less between decreases every decreasing row) 7 times more,

Sts. on Needle:

432 Sts. 432 Sts. 444 Sts.

at the same time when Skirt measures 20 inches from start (or desired length, allowing 9 inches to finish), work as follows: **Change to Size 5 Needle, working back and forth (starting on wrong side) K.6 rows (Garter St.), then work Pattern St. as follows:

Row 1—K.1, *Y.O., K.2 together, repeat from * across row, ending K.2 together, K.1.

Row 2—P.

Repeat Rows 1 and 2 two times more (6 rows), then K.6 rows. Change to Size 2 Needle and work in Stockinette St. (P.1 row, K.1 row) for 6 rows. Repeat from ** 2 times more, K.2 Sts. together across last K. row.

Sts. on Needle:

216 Sts. 216 Sts. 222 Sts.

Work in Ribbing of K.1, P.1, for ½ inch, bind off.

BLOUSE—BACK: With Size 2 Straight Needles cast on

106 Sts. 114 Sts. 122 Sts.

Work in Stockinette St., increasing 1 St. each side every 4th row 12 times.

Sts. on Needle:

130 Sts. 138 Sts. 146 Sts.

When work measures

7″ 7½″ 8″

To Shape Armholes: Bind off 10 Sts. at beginning of each of the next 2 rows, then decrease 1 St. each side every other row 7 times.

Sts. on Needle:

96 Sts. 104 Sts. 112 Sts.

Work even until armhole measures

5″ 5½″ 6″

(measured straight up from bound-off Sts. at underarm), then increase 1 St. each side, then every inch 2 times more.

When armhole measures

8″ 8½″ 9″

To Shape Shoulders: Bind off

9 Sts. 10 Sts. 11 Sts.

at beginning of each of the next 8 rows, bind off remaining Sts. for back of neck.

LEFT FRONT: Cast on

61 Sts. 65 Sts. 69 Sts.

Work in Stockinette St. increasing 1 St. at side edge every 4th row 12 times.

Sts. on Needle:

73 Sts. 77 Sts. 81 Sts.

When work measures same as Back to underarm,

To Shape Armhole: Bind off 10 Sts. at side edge, then decrease 1 St. every other row 7 times.

Sts. on Needle:

56 Sts. 60 Sts. 64 Sts.

When armhole measures

5″ 5½″ 6″

increase 1 St. at side edge, then every inch 2 times more, at the same time when front edge measures

14½″ 15″ 15½″

To Shape Neck: Bind off 14 Sts. at front edge, then decrease 1 St. every row 9 times.

When armhole measures same as at Back,

To Shape Shoulder: Bind off

9 Sts. 10 Sts. 11 Sts.

every other row 4 times.

Continued on page 26.

SKYTOP STRIPES . . . *No. 7407*

Sizes 12, 14 and 16, two-piece costume, original knitted of MINERVA MONTEREY

MATERIALS REQUIRED:

Minerva Monterey (1 ounce skein)

	Size 12	Size 14	Size 16
Pearl No. 319 (Color 1)	20 Skeins	23 Skeins	26 Skeins
Canary No. 300 (Color 2)	3 Skeins	3 Skeins	4 Skeins
White No. 318 (Color 3)	3 Skeins	3 Skeins	4 Skeins

OR

Minerva Nylaine (1 ounce ball)

	Size 12	Size 14	Size 16
Color 1	20 Balls	23 Balls	26 Balls
Color 2	3 Balls	3 Balls	4 Balls
Color 3	3 Balls	3 Balls	4 Balls

OR

Minerva Velveen (1 ounce ball)

	Size 12	Size 14	Size 16
Color 1	18 Balls	20 Balls	23 Balls
Color 2	3 Balls	3 Balls	4 Balls
Color 3	3 Balls	3 Balls	4 Balls

Knitting Needles: 1 Pair Standard Size 2—14 inch
1 Steel Circular Skirt Needle Standard Size 2—29 inch

Gauge: 8 Sts. to 1 inch

1 Steel Crochet Hook Size 2

This garment can also be made in Minerva Fingering Yarn, Sports Yarn or Featherdown, using Size 3 Needles. For yarn amounts see page 30.

Sizes:	**12**	**14**	**16**

SKIRT: With Circular Needle and Pearl cast on 520 Sts. 546 Sts. 572 Sts. join, being careful not to twist Sts.

Row 1—*K.13, P.13, repeat from * around.

Repeat Row 1 for 4 inches.

Next row decrease 1 St. (K.2 together) in center of each K. Panel, decreasing 20 Sts. 21 Sts. 22 Sts. then *K.12, P.13, repeat from * around. Work even for 2 inches.

Next row decrease 1 St. (P.2 together) in center of each P. Panel, decreasing 20 Sts. 21 Sts. 22 Sts. then *K.12, P.12, repeat from * around. Continue to decrease in alternate Panels every 2 inches 6 times more, then every inch 8 times. Work even for 1 inch. Sts. on Needle: 200 Sts. 210 Sts. 220 Sts.

(Skirt measures 28 inches), then work in K.2, P.2, Ribbing for 2 inches or desired length. Bind off loosely in Ribbing. Work 1 row of S.C. at bottom of Skirt. Crochet casing for elastic (see page 32) inside of ribbed waistband.

BLOUSE—STRIPE PATTERN STITCH: (Stockinette St.)

4 rows Pearl
2 rows Canary
2 rows White

Repeat these 8 rows for Pattern. Borders are worked with Pearl in Moss St. (see page 32).

BACK: Start at left armhole edge, with Pearl and Straight Needles cast on 68 Sts. Work in Moss St. for 1¼ inches for Border, then starting at Shoulder with Pearl P.8 (wrong side of work), turn (leave remaining Sts. on needle). Slip 1, K.7, turn. P.16, turn. Slip 1, K.15, turn. Tie on Canary, P.24, turn. Slip 1, K.23, turn.

Work 8 Sts. more every other row following Stripe Pattern St. until all 68 Sts. of Border have been worked, then cast on 8 Sts. for underarm every other row 12 times (keeping Stripe Pattern) 164 Sts. on Needle.

Work even until work measures 5″ 5½″ 6″ from Border at underarm, then work 11 Sts. in Moss St. with Pearl for Neck Border, continuing Stripe Pattern below for 7½ inches. Discontinue Neck Border and work all Sts. in Stripe Pattern for 3″ 3½″ 4″

Starting at bottom of Blouse, bind off 8 Sts. every other row 12 times (68 Sts. remaining), then starting on wrong side, P. to last 4 Sts. of underarm, turn. slip 1, K.63. P. to last 12 Sts., turn, slip 1, K.55 Sts. Continue in this manner working 8 Sts. less each P. row until 8 Sts. remain at Shoulder, then with Pearl work across 68 Sts. in Moss St. for 1¼ inches, bind off.

FRONT: Work same as for Back to Border at neck edge. Work 51 Sts. with Pearl in Moss St. for 1¼ inches for Neck Border.

To Shape Neck: Bind off 40 Sts. at shoulder edge, then decrease 1 St. every other row at neck edge 10 times, at the same time work 1 more St. with Pearl (to keep 11 Sts. for Border) work even for 1½ inches, then increase 1 St. at neck edge every other row 10 times (always keeping 11 Border Sts.).

Cast on 40 Sts. to Shoulder and work 51 Sts. for 1¼ inches in Moss St. with Pearl (continuing Stripe Pattern below Border), then finish Front to correspond with Back. Sew shoulder and underarm seams. With Pearl work 1 row of S.C. at bottom of Blouse.

BELT: Vogue Belts, New York,

CITY AND COUNTRY ENSEMBLE

. . . No. 7408-a-b

Sizes 12, 14 and 16, one-piece dress, original knitted of MINERVA SPORTS YARN, coat original knitted of MINERVA KNITTING WORSTED, hat original crocheted of MINERVA KNITTING WORSTED and gold thread

DRESS No. 7408

MATERIALS REQUIRED:

Minerva Sports Yarn (2 ounce ball)

	Size 12	Size 14	Size 16
White No. 1400 (Color 1)	10 Balls	11 Balls	12 Balls
Sailing Blue No. 1419 (Color 2)	2 Balls	2 Balls	2 Balls

OR

Minerva Fingering Yarn (2 ounce skein)

	Size 12	Size 14	Size 16
Color 1	10 Skeins	11 Skeins	12 Skeins
Color 2	2 Skeins	2 Skeins	2 Skeins

OR

Minerva Featherdown (1 ounce ball)

	Size 12	Size 14	Size 16
Color 1	15 Balls	17 Balls	18 Balls
Color 2	3 Balls	3 Balls	3 Balls

Knitting Needles: 1 Pair Standard Size 2—14 inch
1 Steel Circular Skirt Needle Standard Size 2—29 inch

Gauge: 9 Sts. to 1 inch

This garment can also be made in Minerva Monterey, Velveen or Nylaine, using Size 1 Needles. For yarn amounts see Page 30.

STRIPE PATTERN STITCH: With White *P.1 row, K.1 row, for 15 rows (ending with P.1 row). Join Blue, K.2 rows (break Blue strand). With White K.1 row, P.1 row, for 15 rows (ending with K.1 row). Join Blue, P.2 rows. Repeat Pattern from *.

Sizes:	**12**	**14**	**16**

SKIRT: (1 seam at Back) with White and Circular Needle cast on

404 Sts. 422 Sts. 440 Sts.

Work in Stockinette St. for 1 inch. P.1 row on right side for turn of hem, then work in Stripe Pattern St. for 4¾ inches (to last White row before 4th Blue Stripe). Next row decrease 8 Sts. across row as follows:

*K.45, K.2 together *K.46, K.2 together *K.47, K.2 together

repeat from * 7 times more, K. to end of row. Decrease 8 Sts. in this manner (having 1 St. less between decreases) before each Blue Stripe 12 times more.

Sts. on Needle:

300 Sts. 318 Sts. 336 Sts.

After working next (16th) Blue Stripe, cast on 12 Sts. at end of next P. row for underlap and decrease as

Continued on page 26.

COAT No. 7408-a

MATERIALS REQUIRED:

Minerva Knitting Worsted (4 ounce skein)

Royal Blue No. 5041—10 Skeins

Knitting Needles: 1 Pair Standard Size 5—14 inch

Gauge: 5 Sts. to 1 inch

PATTERN STITCH: (Multiple of 2 Sts.)

Row 1—*K.1, bring yarn forward slip 1, put yarn back, repeat from * across.

Row 2—P.

Row 3—*Bring yarn forward slip 1, put yarn back, K.1, repeat from * across.

Row 4—P.

Repeat the 4 rows for Pattern.

RIGHT FRONT: Cast on 82 Sts. Work in Stockinette St. for 7 rows, then K. next row on wrong side for turn of hem. Work in Pattern St. even for 18½ inches. Next row increase 1 St. at front edge (starting lapel), work across row, being careful to keep Pattern even, cast on 90 Sts. for Right Sleeve.

P.173.

Work even at sleeve edge and increase 1 St. at front edge every 4th row 11 times more (184 Sts. on needle).

When sleeve edge measures 8½ inches from cast-on Sts., bind off 10 Sts. at sleeve edge every other row until 24 Sts. remain at front edge. Work even for 3 inches for half of Collar (to center back of Neck), bind off.

Work Left Front to correspond.

BACK: Right Half—Cast on 80 Sts. work same as Fronts for 18½ inches from P. row, cast on 90 Sts. for Sleeve. Work even for 8½ inches. Bind off 10 Sts. at sleeve edge every other row until all Sts. are bound off.

Work Left Half to correspond.

Sew seam at center of Back. Sew seam at center of Sleeves to Collar (joining Fronts to Back). Sew Collar to neck edge of Back.

Facing: Cast on 24 Sts. Work even in Pattern St. for 17½ inches (Right Front). Increase 1 St. at outside edge and decrease 1 St. at inside edge every other row for 10½ inches (lapel). Work even for 6 inches (Collar), decrease 1 St. at outside edge and increase 1 St. at inside edge for 10½ inches (lapel). Work even for 17½ inches (Left Front). ***Continued on page 26.***

HAT No. 7408-b. Instructions on page 27.

CAREER GIRL CLASSIC . . . *No. 7409*

Sizes 14, 16 and 18, one-piece dress,
original knitted of MINERVA MONTEREY

MATERIALS REQUIRED:

Minerva Monterey (1 ounce skein)

	Size 14	Size 16	Size 18
South Sea Green No. 313	28 Skeins	31 Skeins	34 Skeins

OR

Minerva Velveen (1 ounce ball)

Size 14	Size 16	Size 18
24 Balls	26 Balls	29 Balls

OR

Minerva Nylaine (1 ounce ball)

Size 14	Size 16	Size 18
28 Balls	31 Balls	34 Balls

Knitting Needles: 1 Pair Standard Size 3—14 inch
1 Steel Circular Skirt Needle Standard Size 3—29 inch
1 Double Point Needle Standard Size 3—7 inch (for Cable)

Gauge: 7 Sts. to 1 inch (Skirt)
8 Sts. to 1 inch (Pattern St.—Blouse)

1 Steel Crochet Hook Size 4

This garment can also be made in Minerva Sports Yarn or Fingering Yarn, using Size 4 Needles. For yarn amounts see Page 30.

Sizes:	**14**	**16**	**18**

SKIRT: On Circular Needle cast on
480 Sts. 504 Sts. 528 Sts.
join, being careful not to twist Sts. Work Ribbing Pattern as follows:
*K.14, *K.15, *K.16,
P.2, K.2, P.2, repeat from * around (24 K. Panels). Work even for 3 inches. Decrease 12 Sts. on next row by decreasing 1 St. in center of every other K. Panel. Work 1 inch even, then decrease 1 St. in center of every second K. Panel.

Sts. on Needle:
456 Sts. 480 Sts. 504 Sts.

Continue to decrease 12 Sts. in this manner (alternating Panels) every inch
22 times more 23 times more 23 times more

Sts. on Needle:
192 Sts. 204 Sts. 228 Sts.

When Skirt measures 30 inches from start, or desired length, bind off. Work 2 rows of S.C. around bottom of Skirt.

CABLE PATTERN STITCH: (Multiple of 8 Sts.)

Rows 1 to 4—*K.2, P.2, repeat from * across row.

Row 5—*Slip 4 Sts. on Double Point Needle and place in back of work, K. next 2 Sts., slip the P.2 Sts. from Double Point Needle onto left hand needle and P., K.2 from Double Point Needle, P.2. repeat from * across row.

Rows 6 to 10—Same as Row 1.

Row 11—K.2, *P.2, slip next 4 Sts. on Double Point Needle and place in front of work, K.2, slip the P.2 Sts. from Double Point Needle onto left hand needle and P., K. the 2 Sts. from Double Point Needle, repeat from * across, ending P.2, K.2, P.2.

Row 12—Same as Row 1.

Repeat the 12 rows for Pattern.

BLOUSE—BACK: Cast on
144 Sts. 152 Sts. 152 Sts.
Work in Pattern St. until work measures
8″ 8″ 8½″
to underarm.

To Shape Armholes: Bind off 8 Sts. at beginning of each of the next 2 rows, then decrease 1 St. each side every other row 8 times (being careful to keep Pattern even).
Sts. on Needle:
112 Sts. 120 Sts. 120 Sts.
When armhole measures
2½″ 3″ 3″
change to Stockinette St. and decrease across row to
100 Sts. 108 Sts 116 Sts.

Work even until armhole measures
7″ 7½″ 7½″
(measured straight from bound-off Sts. at underarm),
To Shape Shoulders: Bind off
11 Sts. 12 Sts. 13 Sts.
at beginning of each of the next 6 rows. Bind off remaining Sts. for back of neck.

RIGHT FRONT: Cast on
82 Sts. 82 Sts. 90 Sts.
Start Pattern St. as follows:

Row 1—K.10 (Border), *K.2, P.2, repeat from * across row.

Row 2—*K.2, P.2, repeat from * across to last 10 Sts., P.10.

Repeat Rows 1 and 2.

Row 5—K.10, repeat from * of Row 5 of Pattern St. across row.

Row 6—Same as Row 2.
Repeat Rows 1 and 2 two times.

Row 11—K.10, K.2, repeat from * of Row 11 of Pattern St. across row.

Row 12—Same as Row 2.

Repeat Pattern from Row 1, at the same time working first Buttonhole 3 inches from start as follows: (right side of work) K.3 (Border Sts.), bind off 4 Sts., K.3, work in Pattern St. to end of row. On next row cast on 4 Sts. over the bound-off Sts. (work 3 more Buttonholes in Front Border about 3 inches apart).

Continued on page 27.

SWAGGER SLIP-ON AND HEADBAND

. . . No. 7410-a

Sizes 14, 16 and 18, slip-on and headband, originals knitted of MINERVA SPORTS YARN dyed to match FORTSMANN FABRICS
Fortsmann skirt—VOGUE PATTERN No. 6176

SLIP-ON No. 7410
MATERIALS REQUIRED:

Minerva Sports Yarn (2 ounce ball)

	Size 14	Size 16	Size 18
Damascus No. 1429	4 Balls	5 Balls	5 Balls

OR

Minerva Featherdown (1 ounce ball)

Size 14	Size 16	Size 18
7 Balls	8 Balls	8 Balls

OR

Minerva Fingering Yarn (2 ounce skein)

Size 14	Size 16	Size 18
4 Skeins	5 Skeins	5 Skeins

Knitting Needles: 1 Pair Standard Size 2—14 inch

Gauge: 9 Sts. to 1 inch

This Blouse can also be made in Minerva Nylaine, Monterey or Velveen, using Size 1 Needles. For yarn amounts see Page 30.

Sizes:	**14**	**16**	**18**

BLOUSE—Back: Cast on

131 Sts. 139 Sts. 147 Sts.

Work in Moss St. (K.1 St., P.1 St.). Decrease 1 St. each side every ¾ inch 5 times. When work measures 5 inches from start, increase 1 St. each side, then increase 1 St. each side every ½ inch 15 times more. Sts. on Needle:

153 Sts. 161 Sts. 169 Sts.

When work measures

13″ 13″ 13½″

(or desired length to underarm),

To Shape Armholes: Bind off 10 Sts. at beginning of each of the next 2 rows, then decrease 1 St. each side every other row 9 times.

Sts. on Needle:

115 Sts. 123 Sts. 131 Sts.

Work even until armhole measures 4½ inches (measured straight from bound-off Sts. at underarm). Increase 1 St. each side, then every 10th row

2 times 2 times 1 time

more.

When armhole measures 8 inches,

To Shape Shoulders: Bind off

14 Sts. 15 Sts. 16 Sts.

at beginning of each of the next 6 rows, bind off remaining Sts. for back of neck.

SCARF TAB: (Moss St.) Cast on 1 St., increase 1 St. at end of each row 18 times (19 Sts. on needle), at the same time when work measures ¾ inch from start, divide Sts. for Buttonhole, working each side separate for ¾ inch, then join Sts. again. Work even for 2 inches. Slip Sts. on St. Holder.

FRONT: Work same as Back until Front measures

15″ 15½″ 16″

from start, join Tab to center 19 Sts. by working through both Sts. of Tab and Front, being careful to keep Moss St. even.

When Front measures

19″ 19½″ 20″

from start (measured through center of work),

To Shape Neck: Bind off 21 Sts. at center, work each side separate, decreasing 1 St. at neck edge every row

8 times 9 times 9 times

When armhole measures 8 inches,

To Shape Shoulder: Bind off

14 Sts. 15 Sts. 16 Sts.

at armhole edge every other row 3 times.

SLEEVES: Cast on

101 Sts. 101 Sts. 105 Sts.

Work in Moss St., increasing 1 St. each side every 10th row 4 times.

Sts. on Needle:

109 Sts. 109 Sts. 113 Sts.

When work measures 4 inches (or desired length) from start, bind off 10 Sts. at beginning of each of the next 2 rows, then decrease 1 St. each side every 4th row 8 times, every other row 14 times, every row 7 times, bind off remaining Sts.

Sew Shoulder Seams, leaving 3 inches open at left shoulder. Sew Sleeves in place. Sew underarm and sleeve seams. Sew snap fasteners to opening at Shoulder. Sew Button to Front to fasten Tab over Scarf.

HEADBAND: 7410-a. Instructions on page 28.

THE SCULPTURED LOOK . . . No. 7400

(shown on cover)

Sizes 14, 16 and 18, one-piece dress with panniers, original knitted of MINERVA VELVEEN

MATERIALS REQUIRED:

Minerva Velveen (1 ounce ball)

	Size 14	Size 16	Size 18
Gold No. 1109	37 Balls	40 Balls	43 Balls

OR

Minerva Nylaine (1 ounce ball)

	Size 14	Size 16	Size 18
	44 Balls	47 Balls	50 Balls

Knitting Needles: 1 Pair Standard Size 2—14 inch

Gauge: 10 Sts. to 1 inch (Pattern St.)

This garment can also be made in Minerva Fingering Yarn, Sports Yarn or Featherdown, using Size 3 Needles. For yarn amounts see Page 30.

PATTERN STITCH: (multiple of 2 Sts.)

Row 1—*K.1, bring yarn forward, slip 1, yarn back, repeat from * across.

Row 2—P.

Row 3—*Yarn forward, slip 1, yarn back, K.1, repeat from * across.

Row 4—P.

Repeat these 4 rows for Pattern.

Sizes:	14	16	18

SKIRT: (Worked in 4 Gores) Cast on

158 Sts. 164 Sts. 170 Sts.

Work in Pattern St. for 1 inch. K.1 row on wrong side for turn of hem, then continue in Pattern St. decreasing 1 St. each side every inch 3 times, every 10th row 14 times, then every 6th row 27 times.

Sts. on Needle:

70 Sts. 76 Sts. 82 Sts.

When Gore measures 30 inches from turn of hem, bind off. Work 3 more Gores the same.

Sew Seams, leaving 4 inches open at left side for placket.

BLOUSE—BACK: Cast on

130 Sts. 140 Sts. 150 Sts.

Work in Pattern St., increasing 1 St. each side every 5th row 17 times.

When work measures

8″ 8½″ 8½″

from start,

To Shape Armholes: Bind off 5 Sts. at beginning of each of the next 2 rows, then 2 Sts. at beginning of next 6 rows, then decrease 1 St. each side every other row 3 times.

Sts. on Needle:

136 Sts. 146 Sts. 156 Sts.

Work even until armhole measures 9 inches (measured straight from bound-off Sts. at underarm).

To Shape Shoulders: Bind off

16 Sts. 17 Sts. 18 Sts.

at beginning of each of the next 6 rows, bind off remaining Sts. for back of neck.

FRONT: Work same as Back until work measures

11″ 11½″ 11½″

from start.

Sts. on Needle:

136 Sts. 146 Sts. 156 Sts.

To Shape Neck: Work to center, slip these Sts. on St. Holder, then work right side of Front as follows: decrease 1 St. at neck edge every row 20 times, at the same time increase 1 St. at armhole edge, then every 4th row 17 times more.

Sts. on Needle:

66 Sts. 71 Sts. 76 Sts.

When armhole measures same as at Back,

To Shape Shoulder: Bind off 11 Sts. at armhole edge every other row 6 times, then

. . . . . 5 Sts. 10 Sts.

Work Left side to correspond.

SLEEVES: Cast on

70 Sts. 74 Sts. 78 Sts.

Work in Pattern St. for ½ inch, K.1 row on wrong side for turn of hem. Work even for 2 inches, then increase 1 St. each side, then every 6th row 20 times more, then every 4th row

25 times 23 times 21 times

Sts. on Needle:

162 Sts. 162 Sts. 162 Sts.

When Sleeve measures 17 inches from P. row of hem (or desired length to underarm), bind off 5 Sts. at beginning of each of the next 2 rows, then 2 Sts. at beginning of next 32 rows, then decrease 1 St. at beginning of each row 52 times, then bind off 3 Sts. at beginning of each row until all Sts. are bound off.

LEFT SIDE DRAPE: Cast on 130 Sts. Increase 1 St. at left edge every 3rd row 20 times (150 Sts. on Needle). Work 10 rows even, then decrease 1 St. every other row at left edge until 60 Sts. remain, bind off 20 Sts. at left side every other row 3 times.

RIGHT SIDE DRAPE: Cast on 130 Sts. Increase and decrease at right edge in same manner as left side drape.

Sew ¼ inch seams on wrong side, folding cast-on and bound-off edges in two pleats.

Continued on page 28.

DAILY DOUBLE . . . No. 7401 (shown on page 1)

Sizes 12 to 14 and 16 to 18, topper, original knitted of MINERVA FEATHERWEIGHT KNITTING WORSTED dyed to match FORSTMANN FABRICS

Forstmann dress—VOGUE PATTERN No. 5988

MATERIALS REQUIRED:

Minerva Featherweight Knitting Worsted (2 ounce skein)

	Size 12 to 14	Size 16 to 18
Mortlake No. 765 (Color 1)	10 Skeins	11 Skeins
White No. 700 (Color 2)	1 Skein	1 Skein

OR

Minerva Sock and Sweater Yarn (2 ounce ball)

	Size 12 to 14	Size 16 to 18
Color 1	10 Balls	11 Balls
Color 2	1 Ball	1 Ball

Knitting Needles: 1 Pair Standard Size 2—14 inch
1 Pair Standard Size 4—14 inch

Gauge: 7 Sts. to 1 inch (Size 4 Needles—Stockinette St.)

1 Steel Crochet Hook Size 2

1 Blunt End Tapestry Needle for Embroidery

Sizes:	**12 to 14**	**16 to 18**

BACK: With Size 4 Needles and Mortlake cast on

132 Sts. 140 Sts.

Work in Stockinette St. for 1 inch. P.1 row on right side for turn of hem, then work even in Stockinette St. until work measures 16½ inches from P. row of hem.

To Shape Armholes: Bind off 6 Sts. at beginning of each of the next 2 rows, then 3 Sts. at beginning of each of the next 2 rows, then decrease 1 St. each side every other row 8 times.

Sts. on Needle:

98 Sts. 106 Sts.

When armhole measures

5″ 5½″

(measured straight up from bound-off Sts. at underarm), increase 1 St. each side, then 1 St. each side every ¾ inch 3 times more.

Sts. on Needle:

106 Sts. 114 Sts.

When armhole measures

8″ 8½″

To Shape Shoulders: Bind off

8 Sts. 9 Sts.

at beginning of each of the next 4 rows, then

9 Sts. 10 Sts.

at beginning of each of the next 4 rows, bind off remaining Sts. for back of neck.

LEFT FRONT: With Size 4 Needles cast on

46 Sts. 50 Sts.

Work in Stockinette St. for 1 inch. P. 1 row on right side for turn of hem and cast on 23 Sts. at end of this row for facing. Work even in Stockinette St. for 6 inches, then decrease 1 St. at side edge, then 1 St. at same edge every inch 6 times more.

Sts. on Needle:

62 Sts. 66 Sts.

Work even until work measures 16½ inches from P. row.

To Shape Armhole: Bind off 6 Sts. at side edge, then 4 Sts. at same edge, then decrease 1 St. at same edge every other row 8 times.

Sts. on Needle:

44 Sts. 48 Sts.

When armhole measures

5″ 5½″

(measured straight up from bound-off Sts. at underarm), increase 1 St. at side edge, then every inch 3 times more.

Sts. on Needle:

48 Sts. 52 Sts.

When armhole measures same as at Back,

To Shape Shoulder: Bind off

8 Sts. 9 Sts.

at side edge every other row 2 times, then

9 Sts. 10 Sts.

at same edge every other row 2 times. Work even on remaining 14 Sts. for 5 inches for facing of Collar at back of neck. Bind off.

RIGHT FRONT: Work to correspond with Left Front, casting on 23 Sts. for facing at end of first P. row (after P. row for turn of hem). Omit facing of Collar at back of neck by binding off remaining 14 Sts. at neck edge.

SLEEVES: With Size 4 Needles cast on 102 Sts. Work even in Stockinette St.

Size 12 to 14	Size 16 to 18
....	for 3 inches, then increase 1 St. each side every inch 5 times.

When work measures 17 inches (or desired length), bind off 6 Sts. at beginning of each of the next 2 rows, then 2 Sts. at beginning of each of the next 2 rows, then decrease 1 St. each side every other row 16 times, then bind off 3 Sts. at beginning of each of the next 10 rows. Bind off remaining Sts.

Continued on page 23.

GIBSON GIRL . . . *No. 7411* *(shown on back cover)*

Sizes 14, 16 and 18, three-piece ensemble; blouse, skirt and sash, originals knitted of MINERVA VELVEEN

MATERIALS REQUIRED:

Minerva Velveen (1 ounce ball)

	Size 14	Size 16	Size 18
Gala Blue No. 1117 (Dark Color)	30 Balls	31 Balls	32 Balls
White No. 1100 (Light Color)	17 Balls	18 Balls	19 Balls

OR

Minerva Monterey (1 ounce skein)

	Size 14	Size 16	Size 18
Dark Color	36 Skeins	37 Skeins	38 Skeins
Light Color	21 Skeins	22 Skeins	23 Skeins

OR

Minerva Nylaine (1 ounce ball)

	Size 14	Size 16	Size 18
Dark Color	36 Balls	37 Balls	38 Balls
Light Color	21 Balls	22 Balls	23 Balls

Knitting Needles: 1 Pair Standard Size 1—14 inch (for Skirt)
1 Pair Standard Size 2—14 inch (for Blouse)

Gauge: 9 Sts. to 1 inch (Size 1 Needles)
8 Sts. to 1 inch (Size 2 Needles)

This garment can also be made in Minerva Fingering Yarn, Sports Yarn or Featherdown, using Size 2 and 3 Needles. For yarn amounts see Page 30.

Sizes: 14 16 18

SKIRT: (Worked in 4 gores) with Size 1 Needles cast on 265 Sts. Work in Stockinette St. for 16 rows, P.1 row on right side for turn of hem. Continue in Stockinette St. for

3″ 3½″ 4″

Next row decrease 10 Sts. as follows:

K.2 together, K.18, *K.2 together, K.30, repeat from * 6 times more, K.2 together, K.17, K.2 together.

Work even for 10 rows.

Next row decrease 1 St. each side.

Work even for 10 rows.

Next row decrease 1 St. each side.

Work even for 10 rows.

(14 Sts. decreased—251 Sts. on Needle.)

Work 2nd decreasing row across as follows:

K.2 together, K.14, *K.2 together, K.29, repeat from * 6 times more, K.2 together, K.14, K.2 together.

Decrease 1 St. each side every 10th row 2 times.

(14 Sts. decreased—237 Sts. on Needle.)

Continue to decrease in this manner decreasing 1 St. each side every 10th row 26 times more and decrease 8 Sts. across row every 3 inches 2 times more, then every 2 inches 4 times, every 1 inch

9 times 8 times 7 times

(having 1 St. less between decreases every decreasing row).

Sts. on Needle:

65 Sts. 73 Sts. 81 Sts.

When gore measures 30 inches from P. row (or desired length), bind off.

Work 3 more gores the same. Sew seams, leaving 7 inches open at left side for Placket. Sew Skirt to skirt belting cut to waist measurement. Turn up hem and sew. Sew slide fastener in Placket.

BLOUSE—BACK: With Size 2 Needles cast on

96 Sts. 102 Sts. 108 Sts.

Work in Ribbing of K.3, P.3, for 3 inches. Change to Stockinette St. increasing 1 St. in about every 4th St. across first row to

120 Sts. 128 Sts. 136 Sts.

then increase 1 St. each side every ½ inch 12 times. Sts. on Needle:

144 Sts. 152 Sts. 160 Sts.

When work measures

10½″ 11″ 11½″

from start,

To Shape Armholes: Bind off 5 Sts. at beginning of each of the next 2 rows, then decrease 1 St. each side every other row 5 times.

When armhole measures 5 inches (measured straight from bound-off Sts. at underarm), decrease 20 Sts. across row (K. about every 5th and 6th St. together). Work Yoke in Moss St. (see page 32) for 3 inches.

To Shape Shoulders: Bind off

12 Sts. 13 Sts. 14 Sts.

at beginning of each of the next 6 rows, bind off remaining Sts. for back of neck.

LEFT FRONT: Cast on

60 Sts. 66 Sts. 72 Sts.

Work in Ribbing of K.3, P.3, for 3 inches. Work 9 Sts. at front edge in Moss St. for Border and remaining Sts. in Stockinette St. same length as Back to underarm, increasing 12 Sts. across first row, then 1 St. at side edge every ½ inch 6 times.

To Shape Armhole: Bind off 5 Sts. at side edge, then decrease 1 St. every other row 5 times. When armhole measures 4½ inches, decrease 11 Sts. across row.

Work Yoke in Moss St. for 1½ inches.

To Shape Neck: Bind off

14 Sts. 17 Sts. 20 Sts.

at front edge, then decrease 1 St. every other row 7 times.

When armhole measures same as at Back,

To Shape Shoulder: Bind off

12 Sts. 13 Sts. 14 Sts.

at armhole edge every other row 3 times.

Continued on Page 23.

No. 7411 continued from page 22.

Work Right Front to correspond, working first Buttonhole 3 inches from Ribbing in Moss St. Border, 3 Sts. from front edge, 2 Sts. wide (Buttonholes see Page 32). Work 3 more Buttonholes 3 inches apart.

SLEEVES: Cast on 50 Sts. Work in Stockinette St. for 2 inches, P.1 row on right side for turn of Cuff, then work in Moss St. for 2 inches. Change to Stockinette St. and increase as follows:

Row 1—Increase 1 St. in every 3rd St.

Row 2—P.66.

Row 3—Increase 1 St. in every 4th St.

Row 4—P.82.

Row 5—Increase 1 St. in every 3rd St.

Row 6—P.109.

Row 7—Increase 1 St. in every 3rd St.

Row 8—P.145.

Work even until Sleeve measures 19 inches from cuff edge (or desired length to underarm). Bind off 5 Sts. at beginning of each of the next 2 rows, then decrease 1 St. at beginning of each row 36 times, then bind off 2 Sts. at beginning of each row 36 times, bind off remaining 27 Sts.

COLLAR: Cast on 100 Sts. Work 5 Sts. each side in Moss St. for Border and work remaining Sts. in Stockinette St. increasing across row as follows:

Row 1—Work 5 Moss St., K.22, increase 1 St. in next St., *K.8, increase 1 St. in next St., repeat from * 4 times more, K.22, Moss St. 5 Sts.

Row 2—P.106.

Increase 6 Sts. every other row (having 1 St. more between increases) 5 times more. Work all Sts. in Moss St. for 5 rows, bind off in Moss St.

SASH: With Gala Blue and Size 1 Needles cast on 60 Sts. Join White and work in Pattern St. as follows:

Row 1—*Blue K.3, White K.3, repeat from * across row.

Row 2—Blue P.1, *White P.3, Blue P.3, repeat from * across, ending Blue P.2.

Row 3—Blue K.1, *White K.3, Blue K.3, repeat from * across, ending Blue K.2.

Row 4—*Blue P.3, White P.3, repeat from * across.

Row 5—White K.2, *Blue K.3, White K.3, repeat from * across, ending White K.1.

Row 6—White P.2, *Blue P.3, White P.3, repeat from * across, ending White P.1.

Repeat the 6 rows for Pattern. Work 27 inches (or desired length), bind off with Blue.

Sew Shoulder Seams. Sew Sleeves in place, sew underarm and sleeve seams. Turn facing of Cuff under and sew. Crochet loop for Buttonhole at edge of Cuff, fasten top of Cuff with snap fastener. Fasten Ribbing at waist with snap fastener. Sew Collar to neck edge (¾ inch from front edge). Wrap Sash around waist and tuck ends in.

No. 7401 continued from page 21.

TUXEDO BORDER: With Size 4 Needles cast on 23 Sts. With Size 2 Needles P. back, then work in Pattern St. as follows:

Row 1—With Size 4 Needles K.6; then all in next St. K.1, Y.O., K.1, Y.O., K.1, Y.O., K.1 (forming 7 loops), K.9; work 7 loops in next St., end K.6.

Row 2—With Size 2 Needles P.6, P. through the 7 loops forming 1 popcorn; pull yarn tight, P.9, P. through 7 loops, P.6. Continue in this manner working popcorns as indicated on Chart (below) alternating needles on every row. Repeat Pattern from Chart until Border measures about 62 inches (or long enough to fit around Neck and Fronts, ending Pattern to match start), bind off. Embroider 1 flower in each diamond as on Chart in Lazy Daisy St. with White, working French Knot at center with Mortlake.

CUFF BORDERS: Work same as Tuexdo Border for about 16 inches. Join ends and embroider as for Tuxedo Border.

Sew Shoulder Seams. Join facing of Collar at right neck edge. Sew to back of neck. Sew Sleeves in place, sew underarm and sleeve seams. Turn up hem and sew. Join Cuffs to sleeve edge with 1 row of S.C. Work 1 row of S.C. around top edge of Cuff, then sew to Sleeve. Sew ends of Tuxedo Border to bottom edge of front facings, then join Border to front edges and around Neck with 1 row of S.C. Work 1 row of S.C. around outside edge of Border, then sew to Coat.

No. 7401 CHART



Key to Chart

× = Popcorn knit row

— = Purl 7 loops together

No. 7402 continued from page 2.

Sizes:	14	16	18

JACKET—BACK: Starting at Peplum, cast on
137 Sts. 143 Sts. 149 Sts.

Row 1—P. (right side of work), cast on 5 Sts. at end of row.

Row 2—K., cast on 5 Sts. at end of row.

Row 3—P., cast on 5 Sts. at end of row.

Row 4—K., cast on 5 Sts. at end of row.

Sts. on Needle:
157 Sts. 163 Sts. 169 Sts.

Row 5—Start 3 Clovers as follows:
P.25 P.28 P.31

*Work Row 3 of Clover Pattern on next 5 Sts., K.46, repeat from * once, work Clover Pattern on next 5 Sts.,
P.25 P.28 P.31
cast on 5 Sts. at end of row.

Continue to cast on 5 Sts. at end of each row until 60 Sts. have been added each side, at the same time after 16th increase (40 Sts. added each side), work 1 more Clover each side, 46 Sts. from first and 3rd Pattern. When work measures 2½ inches from start,
Sts. on Needle:
257 Sts. 263 Sts. 269 Sts.
(this includes 5 Sts. only in each Clover Pattern),
slip 6 markers in place as follows:
P.36 P.39 P.42

*slip marker on needle, P.37, repeat from * 4 times more, slip 6th marker on needle, P. to end of row.

Decrease 1 St. each side of each marker every 4th row 13 times, at the same time decrease 1 St. each side every ¾ inch 5 times.

Sts. on Needle:
91 Sts. 97 Sts. 103 Sts.

When side edge measures 5 inches, work as follows:

Row 1—(right side of work)
P.12 P.15 P.18
K.3, P.10, K.3, P.35, K.3, P.10, K.3,
P.12 P.15 P.18

Row 2—
K.12 K.15 K.18
P.3, K.10, P.3, K.35, P.3, K.10, P.3,
K.12 K.15 K.18

Repeat Rows 1 and 2 for 2 inches, then increase 1 St. each side, 2 Sts. in center P. Panel and 1 St. in each of the other 2 P. Panels, every inch 4 times (24 Sts. increased).

Sts. on Needle:
115 Sts. 121 Sts. 127 Sts.

When work measures 13 inches from start (measured at center), start first Clover on center 5 Sts. After completing Pattern, discontinue the K.3 Sts. each side of center Panel and work as follows:

To Shape Armholes: Bind off 7 Sts. at beginning of each of the next 2 rows, then decrease 1 St. each side every other row 4 times. Work 1 Clover ½ inch above the two discontinued K.3 sections, then discontinue the remaining two K.3 sections and work 1 Clover ½ inch above each K.3 section and 1 Clover at center. After completing 3 Patterns, work 2 more Clovers above previous 2 Patterns (8 Patterns in Yoke).

When armhole measures 9 inches (measured straight from bound-off Sts. at underarm),

To Shape Shoulders: Bind off 6 Sts. at beginning of each row 6 times, then bind off
7 Sts. 8 Sts. 9 Sts.
4 times. Bind off remaining
29 Sts. 31 Sts. 33 Sts.
for back of neck.

RIGHT FRONT: Cast on
86 Sts. 90 Sts. 94 Sts.

Row 1—P. (right side of work).

Row 2—K., cast on 5 Sts. at end of row (at front edge).

Row 3—P.

Row 4—K., cast on 5 Sts. at end of row.

Row 5—Start Pattern as follows: P.14, start Clover on next 5 Sts., P.39, start Clover on next 5 Sts.
P.33 P.37 P.41

Continue to add 5 Sts. at front edge every other row 7 times more, at the same time 1 inch from start, place a marker at center of first and 3rd P. Panel and 2 markers in center P. Panel (4 markers), then decrease 1 St. each side of markers every 4th row 10 times and decrease 1 St. at side edge every ¾ inch 5 times; after last 5 Sts. are cast on at front edge, start 3rd Clover 5 Sts. from front edge.

When side edge measures 5 inches,
Sts. on Needle:
46 Sts. 50 Sts. 54 Sts.
work as follows:

Row 1—(right side of work) P.18, K.3, P.10, K.3,
P.12 P.16 P.20

Row 2—
K.12 K.16 K.20
P.3, K.10, P.3, K.18.

Start Clover 5 Sts. from front edge on next row. After the Pattern is completed increase 1 St. in first and 2nd P. Panel every inch 4 times, at the same time increase 1 St. at side edge every ½ inch 8 times.

Sts. on Needle:
62 Sts. 66 Sts. 70 Sts.

Start next Clover (3rd on front edge) 4 inches from last Pattern.

When side edge measures same as Back to underarm,

To Shape Armhole: Bind off 7 Sts. at side edge, then decrease 1 St. every other row
9 times 11 times 13 times
at the same time discontinue the first K. 3 section and start Clover ½ inch above. When Pattern is completed, discontinue the 2nd K. 3 section and work Clover ½ inch above, at the same time work 4th Clover 5 Sts. from front edge.

When front edge measures 20 inches,

To Shape Neck: Bind off 10 Sts. at front edge, start last Clover in 10th St. Decrease 1 St. at neck edge every other row 4 times.

When armhole measures same as at Back,

To Shape Shoulder: Bind off 6 Sts. every other row 3 times, then
7 Sts. 8 Sts. 9 Sts.
2 times.

Continued on page 25.

No. 7402 continued from page 24.

Work Left Front to correspond, having increases and decreases at opposite sides, being careful to start Clover Patterns and the two K. 3 sections same distance from front edge as on Right Front.

SLEEVES: Cast on

49 Sts. 51 Sts. 53 Sts.

Increase 1 St. each side every 8th row 21 times.

Sts. on Needle:

91 Sts. 93 Sts. 95 Sts.

When Sleeve measures 17 inches (or desired length to underarm), bind off

7 Sts. 8 Sts. 9 Sts.

at beginning of next 2 rows, then start 3 Clovers as follows: P.16, start Pattern on next 5 Sts., P.15, start Pattern on next 5 Sts., P.15, start Pattern on next 5 Sts., P.16.

Decrease 1 St. each side every 6th row 11 times, then every row each side 14 times, at the same time ½ inch above first 3 Clovers work 2 more Patterns (15 Sts. between). Bind off remaining 27 Sts.

Sew Shoulder Seams. Sew Sleeves in place, sew underarm and sleeve seams. Work 1 row of S.C. at edge of Jacket and Sleeves. Sew 12 inch separating slide fastener in Front (4½ inches from neck edge). Sew 4½ inch Whale bones from slide fastener to neck edge. Face front edge with Ribbon.

No. 7403 continued from page 4.

When work measures same as Back to underarm,

To Shape Armhole: Bind off 6 Sts. at side edge, then decrease 1 St. every other row 3 times.

When armhole measures

3½″ 3½″ 4″ 4″

(measured straight from bound-off Sts. at underarm), bind off

21 Sts. 25 Sts. 29 Sts. 31 Sts.

at armhole edge, work across row. On next row work across, casting on

11 Sts. 15 Sts. 19 Sts. 21 Sts.

at end of row. Work even until armhole measures

5½″ 5½″ 6″ 6″

To Shape Neck: Bind off

12 Sts. 12 Sts. 16 Sts. 16 Sts.

at front edge, then decrease 1 St. at neck edge every row 4 times, then every other row 9 times.

When armhole measures

7½″ 8″ 8½″ 8½″

To Shape Shoulder: Bind off

9 Sts. 10 Sts. 10 Sts. 11 Sts.

every other row 4 times.

Gather and sew the bound-off Sts. on Yoke to the cast-on Sts.

RIGHT FRONT: Work to correspond with Left Front starting Pattern on wrong side at side edge as follows:

Row 1—

K.25, P.2 K.29, P.2 K.33, P.2 K.35, P.2
K.20, K.20, K.20, K.22,

ending P.2, K.23.

Row 2—P.23,

K.2, P.20, K.2, P.20, K.2, P.20, K.2, P.22,

K.2, P. to end of row.

Work first Buttonhole

3″ 3″ 3½″ 3½″

from start, 5 Sts. from front edge and 4 Sts. wide (Buttonholes see Page 32). Work 6 more Buttonholes 2½ inches apart.

SLEEVES: Cast on

64 Sts. 64 Sts. 68 Sts. 68 Sts.

Row 1—

K.19, P.2, K.19, P.2, K.21, P.2, K.21, P.2,

*K.10, P.2, repeat from * once, then K. to end of row.

Row 2—(right side of work)

P.19, K.2, P.19, K.2, P.21, K.2, P.21, K.2,

*P.10, K.2, repeat from * once, P. to end of row.

Work even for 1 inch. Next row increase 1 St. each side, then every 8th row 15 times more, then every 6th row, 4 times more.

Sts. on Needle:

104 Sts. 104 Sts. 108 Sts. 108 Sts.

When Sleeve measures 18 inches from start (or desired length to underarm), bind off 6 Sts. at beginning of each of the next 2 rows, then decrease 1 St. each side every other row

30 times 30 times 32 times 32 times

then every row 4 times. Bind off remaining Sts.

Sew Shoulder Seams. Sew Sleeves in place, sew underarm and sleeve seams.

POCKET: Cast on 36 Sts. Work in Stockinette St. for 6 inches (width of pocket). Bind off. Using P. side as right side, face piece with matching material, turning under 2 Sts. at each edge.

Sew second piece of material to 3 sides of piece only, to form Pocket. Sew 4th edge of Pocket across Front of Jacket as illustrated. Make 2.

Face front edge with 1¼ inch strip of matching material, turning under 2 Sts. at edge. Sew ½ inch strip of material around neck edge and inside of waistline.

Buttons: Cast on 25 Sts. Work in Stockinette St. for 6 inches. Bind off. Cover 7—¾ inch button molds (P. side as right side).

Work 1 row of S. C. around bottom edge of Jacket and around edge of Sleeves.

No. 7405 continued from page 8.

Sew Shoulder Seams. Sew Sleeves in place, sew underarm and Sleeve seams leaving 2 inches open at Cuff. Sew Collar to neck edge. Cross Fronts and fasten at bottom and at each Shoulder with snap fasteners. Sew Blouse to Skirt. Sew Buttons to Front as illustrated. Work 1 row of S.C. at front edges, neck edge and Collar.

BELT: Wilshire Belt Salon, Los Angeles.

No. 7406 continued from page 10.

RIGHT FRONT: Work to correspond with Left Front working first Buttonhole

1¼″	1½″	1¾″

from start as follows: Work across 3 Sts. from front edge, bind off 3 Sts., work to end of row. Next row cast on 3 Sts. over the bound-off Sts. Work 5 more Buttonholes about 2½ inches apart.

SLEEVES: With Size 2 Needles cast on

80 Sts.	82 Sts.	84 Sts.

Work in Stockinette St. for 4 rows, P.1 row on right side for turn of hem, then P.1 row, K.1 row for 6 rows. With Size 5 Needle start Pattern. Work 2 complete Patterns, ending with 6 rows of Garter St. Change to Size 2 Needles and work cap of Sleeve. Bind off 5 Sts. at beginning of each of the next 2 rows, then decrease 1 St. each side every other row

	7 times	8 times	8 times
every 4th row	7 times	7 times	8 times
every other row	5 times	6 times	7 times

then every row each side 12 times. Bind off remaining Sts.

COLLAR: With Size 2 Needles cast on 104 Sts. Work in Stockinette St. for 1 inch. Change to Size 5 Needle and work 1 Pattern Stripe (6 rows Garter St., 6 rows Pattern St., 6 rows Garter St.), bind off.

Sew Shoulder Seams. Sew Sleeves in place, sew underarm seams, leaving 3 inches open at left side for placket. Sew sleeve seams, turn up hem and sew. Sew cast-on edge of Collar to neck edge, starting and ending ½ inch from front edge.

Sew seam across 4 inches of Pattern on Skirt, leaving opening for placket at top. Turn up hem and sew. Sew Blouse to Skirt. Sew slide fastener in placket opening. Face front edge with grosgrain ribbon.

BELT: Vogue Belts, New York.

No. 7408-a continued from page 14.

Starting and ending 1 inch from P. row, sew facing to Fronts and Collar. Sew underarm and sleeve seams. Turn up hem and sew. Turn under 10 Sts. (or enough for desired length of Sleeve) at sleeve edge and sew hem.

Pockets: Cast on 40 Sts. Work in Pattern St. for 7 inches. Bind off. Turn under 2 rows at top and bottom for hem. Sew Pockets to Fronts, 2½ inches from front edge and 2 inches from hem.

No. 7408 continued from page 14.

follows on next K. row:

	*K.28, K.2 together	*K.27, K.2 together	*K.30, K.2 together
repeat from *	8 times	9 times	9 times
more, K. to end of row. Decrease	9 Sts.	10 Sts.	10 Sts.

in this manner (having 1 St. less between decreases) on last K. row of same White Stripe. Continue to work 2 decreasing rows in each of the next 3 White Stripes in this manner, working 1 Buttonhole 7 Sts. from edge, 4 Sts. wide (Buttonholes see Page 32) on 8th row of each of the next 3 White Stripes (the 18th, 19th and 20th White Stripe from P. row of hem).
Sts. on Needle:

240 Sts.	250 Sts.	268 Sts.

Work 1 more Blue Stripe, then with White work even until Skirt measures 28 inches (or desired length) from P. row of hem. Bind off.

Sew seam at Back to underlap, turn under 3 Sts. of overlap and sew hem. Turn up hem and sew.

BLOUSE—FRONT: With White cast on

112 Sts.	122 Sts.	132 Sts.

Work Stripe Pattern St. same as Skirt (15 rows White, 2 rows Blue). Work even for 1¼ inches, then increase 1 St. each side, then every 5th row 35 times more.

Sts. on Needle:

184 Sts.	194 Sts.	204 Sts.

(11 Blue Stripes)

To Shape Neck: K. across

75 Sts.	80 Sts.	85 Sts.

slip these Sts. on St. Holder, bind off 34 Sts. for neck, K. to end of row. Work Right Shoulder. Continue increases at side edge and decrease 1 St. at neck edge every other row 2 times. 4 rows after

12th	13th	13th

Blue Stripe,

To Shape Shoulder: Bind off 20 Sts. at armhole edge every other row 3 times, bind off remaining Sts. Work Left Shoulder to correspond.

LEFT BACK: Cast on

68 Sts.	72 Sts.	76 Sts.

Work Stripe Pattern St. and increase at side edge same as for Front, 4 rows after 12th Blue Stripe,

To Shape Shoulder: Bind off 20 Sts. at armhole edge every other row 3 times, then bind off remaining Sts.

Work Right Back to correspond, working first Buttonhole in second White Stripe, then in every White Stripe same as on Skirt.

Neckband: With White cast on

130 Sts.	140 Sts.	140 Sts.

Work in Stockinette St. for 1 inch, P.1 row on right side for turn of hem, then continue in Stockinette St. for ¾ inch, bind off.

Continued on page 27.

No. 7408 continued from page 26.

Sew Shoulder Seams, sew underarm seams for

8″ 8½″ 8½″

Turn under 2 Sts. at armhole edge and sew hem. Turn under 3 Sts. at right back center edge and sew hem. Sew Neckband around neck. Fasten Neckband with snap fasteners. Sew Blouse to Skirt.

BELT: Wilshire Belt Salon, Los Angeles.

No. 7408-b continued from page 14.

MATERIALS REQUIRED:

Minerva Knitting Worsted
(4 ounce skein)

Royal Blue No. 5041—1 Skein

2—125 yard spools Lightweight Gold Thread
1 Composition Crochet Hook Standard Size 7—6 inch

Gauge: 3 Sts. to 1 inch (Crown)
3½ Sts. to 1 inch (Brim)

CROWN OF HAT: Using 2 strands of Gold Thread and 1 strand of yarn, make a slip loop on hook.

Row 1—Work 6 S.C. in loop.

Row 2—2 S.C. in each St. (12 S.C.)

Row 3—(Tie colored thread at start of row for marker) *1 S.C. in first St., 2 S.C. in next St., repeat from * around (18 Sts.).

Row 4—*1 S.C. in each of the first 2 Sts., 2 S.C. in next St., repeat from * around. (24 Sts.)

Continue to increase 6 Sts. each round until top of Crown measures 6 inches in diameter, then work even for 1½ inches.

Now tie a marker at each side of Hat, separating Front from Back and work Front of Hat even for 5 rows, at the same time increasing to shape Back of Hat as follows:

Row 1—Increase 1 St. in every 6th St. across Back of Hat (between markers).

Row 2—Work even.

Row 3—Same as Row 1.

Row 4—Work even.

Row 5—Same as Row 1.

Now work even all around for 3 inches more. Break Gold Thread.

BRIM: With strand of yarn work 1 row even, then increase 1 St. in every 10th St. for 4 rows. Work even for 2 inches, then decrease as follows:

Row 1—Decrease by working every 5th and 6th St. together as one St.

Row 2—(Last row) work every 4th and 5th St. together as one St. Steam lightly on wrong side. Roll back Brim.

No. 7409 continued from page 16.

When Front measures same as Back to underarm,

To Shape Armhole: Bind off 8 Sts. at side edge, then decrease 1 St. every other row 8 times.

Sts. on Needle:

66 Sts. 66 Sts. 74 Sts.

When armhole measures

2½″ 3″ 3″

from bound-off Sts. at underarm, change to Stockinette St. and decrease across Pattern St. to

56 Sts. 59 Sts. 62 Sts.

When armhole measures

5″ 5½″ 5½″

To Shape Neck: Bind off 13 Sts. at neck edge, then 2 Sts. every other row 5 times.

Sts. on Needle:

33 Sts. 36 Sts. 39 Sts.

When armhole measures

7″ 7½″ 7½″

To Shape Shoulder: Bind off

11 Sts. 12 Sts. 13 Sts.

at armhole edge every other row 3 times.

Work Left Front to correspond, omitting Buttonholes and working Pattern St. as follows:

Row 1—*P.2, K.2, repeat from * across, K. last 10 Sts. for Front Border.

Row 2—P.10, *P.2, K.2, repeat from * across.

Row 3—Same as Row 1.

Row 4—Same as Row 2.

Row 5—*P.2, slip next 4 Sts. on Double Point Needle and place in front of work, K.2, slip the P.2 Sts. from Double Point Needle onto left hand needle and P., K. the 2 Sts. from Double Point Needle, repeat from * across, ending K.10.

Row 6—Same as Row 2.

Repeat Rows 1 and 2 two times.

Row 11—P.2, K.2, P.2, *slip 4 Sts. on Double Point Needle and place in back, K.2, slip 2 P. Sts. from Double Point Needle onto left hand needle and P., then K. the 2 Sts. from Double Point Needle, P.2, repeat from * across, ending P.2, K.2, K.10.

Row 12—Same as Row 2.

Repeat Pattern from Row 1.

SLEEVES: Cast on

80 Sts. 84 Sts. 84 Sts.

Working in Stockinette St., increase 1 St. each side every 6th row 5 times.

Sts. on Needle:

90 Sts. 94 Sts. 94 Sts.

Continued on page 28.

No. 7409 continued from page 27.

When Sleeve measures
5″ 5½″ 5½″
from start, bind off 7 Sts. at beginning of each of the next 2 rows, then decrease 1 St. each side every 4th row 6 times, then every other row 12 times. Bind off 2 Sts. at beginning of each of the next 4 rows, then 3 Sts. at beginning of next 4 rows. Bind off remaining Sts.

COLLAR: Cast on
94 Sts. 96 Sts. 96 Sts.
Work even in Stockinette St. for 1 inch, then bind off 2 Sts. at beginning of each of the next 8 rows, then 3 Sts. at beginning of next 10 rows. Bind off remaining Sts.

Sew Shoulder Seams. Sew Sleeves in place, sew underarm and sleeve seams. Sew Collar to neck edge. Work 1 row of S.C. at front edges and 2 rows around Collar and Sleeves. Face Front Borders with Grosgrain Ribbon. Sew Blouse to Skirt overlapping Front Borders. Crochet casing for elastic (see Page 32) at waistline.

BELT: Vogue Belts, New York.

No. 7410-a continued from page 18.

MATERIALS REQUIRED:

Minerva Sports Yarn (2 ounce ball)
Damascus No. 1429 1 Ball

1 Composition Crochet Hook Standard Size 6—6 inch

Using 2 strands of yarn Ch. 25.

Row 1—Work 1 S.C. in 2nd Ch. from hook, draw up a ¾ inch loop (1 loop St.), work 3 more loop Sts. in same Ch., then work 1 loop St. in each Ch. across and 4 loop Sts. in last Ch., then work 1 loop St. in each St. at other side of Ch.

Row 2—Work 1 S.C. in each St. (between loops) around, keeping loops of previous row in back of work, increasing each end to turn corners.

Row 3—Work 1 loop St. in each St., increasing each end as before.

Repeat Rows 2 and 3 until Band measures 4½ inches across and about 12 inches in length, ending with S.C. row. Using 6 strands of yarn, each 3 yards long, make two 18 inch cords. Double and sew to each end of Band to tie in back of head.

No. 7400 continued from page 20.

Sew shoulder seams folding three pleats on Fronts, sew Sleeves in place, sew sleeve and underarm seams, leaving 5 inches open on left side for placket. Sew side drapes to Skirt as illustrated. Sew Blouse to Skirt. Sew slide fastener in placket. Turn up hems and sew.

BELT: Cast on 80 Sts. Work even for
28″ 30″ 32″
bind off. Sew ¼ inch seam at each side. Gather at each end to 4 inches. Fasten with hooks and eyes.

MINERVA ALL-IN-ONE ARGYLE SOCK PACK

NO MORE GUESSING ABOUT:

HOW MUCH YARN—One pack makes one pair, any size.

COLORS—12 style-right color combinations. Choose his favorite.

WEAR—Minerva Yarns are 100% virgin wool, especially spun for longer wear.

WASHABILITY—Dunk the socks as often as you like. The yarn is shrink-resistant.

HOW TO KNIT ARGYLES—Just follow the clear instructions in each pack—and presto! A perfect pair!

START KNITTING A PAIR OF ARGYLE SOCKS TODAY

No. 7404 CHART



Key to Chart

— Canary O Hyacinth Blue X Radar Blue ◉ Green

APPROXIMATE YARN AMOUNTS TO BE SUBSTITUTED FOR NUMBER OF SKEINS OR BALLS USED IN ORIGINAL GARMENT

ORIGINAL GARMENT MADE IN **MONTEREY** (1 oz. skein) number of skeins	1	3	4	20	23	26	28	30	31	33	34	36	39	42
Sports Yarn (2 oz. ball) number of balls	1	2	2	7	8	9	10	11	11	12	12	13	14	15
Fingering Yarn (2 oz. skein) number of skeins	1	1	2	7	8	9	10	10	11	11	12	12	13	14
Featherdown (1 oz. ball) number of balls	1	2	3	11	12	13	15	16	16	17	18	19	20	22

ORIGINAL GARMENT MADE IN **VELVEEN** (1 oz. ball) number of balls	17	18	19	30	31	32	37	40	43
Sports Yarn (2 oz. ball) number of balls	8	8	8	13	13	14	16	17	18
Fingering Yarn (2 oz. skein) number of skeins	7	8	8	12	13	13	15	16	17
Featherdown (1 oz. ball) number of balls	11	11	12	19	19	20	23	25	26

ORIGINAL GARMENT MADE IN **SPORTS YARN** (2 oz. ball) number of balls	2	4	5	10	11	12	13	14	15
Velveen (1 oz. ball) number of balls	5	10	13	25	27	29	32	34	37
Nylaine (1 oz. ball) number of balls	6	12	15	29	32	36	39	41	43
Monterey (1 oz. skein) number of skeins	6	12	15	29	32	36	39	41	43

ORIGINAL GARMENT MADE IN **FINGERING YARN** (2 oz. skein) number of skeins	5	6
Velveen (1 oz. ball) number of balls	13	16
Nylaine (1 oz. ball) number of balls	16	19
Monterey (1 oz. skein) number of skeins	16	19

APPROXIMATE YARDAGE OF MINERVA YARNS

MONTEREY (1 ounce skein—about 130 yards to a skein)

VELVEEN (1 ounce ball—about 155 yards to a ball)

NYLAINE (1 ounce ball—about 130 yards to a ball)

FINGERING YARN (2 ounce skein—about 395 yards to a skein)

SPORTS YARN (2 ounce ball—about 373 yards to a ball)

HEATHER SPORTS YARN (2 ounce ball—about 373 yards to a ball)

FEATHERDOWN (1 ounce ball—about 256 yards to a ball)

POMPADOUR—LIGHTWEIGHT (1 ounce ball—about 210 yards to a ball)

BABY YARN (1 ounce ball—about 223 yards to a ball)

FEATHERWEIGHT KNITTING WORSTED (2 ounce skein—about 233 yards to a skein)

HEATHER FEATHERWEIGHT KNITTING WORSTED (2 ounce skein—about 233 yards to a skein)

SOCK AND SWEATER YARN (2 ounce ball—about 245 yards to a ball)

HEATHER SOCK AND SWEATER YARN (2 ounce ball—about 245 yards to a ball)

POMPADOUR (1 ounce ball—about 128 yards to a ball)

AFGHAN GERMANTOWN (2 ounce skein—about 210 yards to a skein)

KNITTING WORSTED (4 ounce skein—about 280 yards to a skein)

HEATHER KNITTING WORSTED (4 ounce skein—about 280 yards to a skein)

OMBRE KNITTING WORSTED (2 ounce skein—about 140 yards to a skein)

TAPESTRY YARN (about 40 yards to a skein)

SPARKLETONE RUG YARN (2 ounce skein—about 122 yards to a skein)

HEARTHSTONE RUG YARN (1 ounce skein—about 19 yards to a skein)

SOCK YARN (1 ounce ball—about 200 yards to a ball)

ARGYLE SOCK PACKAGE (3 ounces—sufficient yarn for one pair of socks)

General Instructions

ABBREVIATIONS USED IN KNITTING AND CROCHET INSTRUCTIONS

K.—Knit
P.—Purl
Ch.—Chain
S. C.—Single Crochet
D. C.—Double Crochet
Tr. C.—Treble Crochet
St.—Stitch
Y. O.—Yarn Over
Slip St.—Slip Stitch
H. D. C.—Half Double Crochet

ASTERISKS (*-**): Star symbols indicate that work between them is to be repeated. When instructions call for repeating a given number of times, it is understood that this is in addition to the original. Thus, repeat 5 times more means 6 times in all.

GARTER STITCH: (Plain Knitting) K. every row.

RIB: 2 rows of Garter Stitch.

STOCKINETTE STITCH: K. 1 row, P. 1 row alternately. On Circular or Sock Needles knit continuously.

MOSS STITCH: K. 1 St., P. 1 St., on uneven number of Sts. On even number of Sts., K. 1 St., P. 1 St., across row; next row, P. 1 St., K. 1 St., across row.

TO INCREASE: K. 2 Sts. in 1 Stitch (Knitting 1 St. in the front and 1 St. in the back of same St.).

TO DECREASE: K. 2 Sts. together.

TO WORK EVEN: Work without increasing or decreasing.

BUTTONHOLES: Bind off the given number of stitches, this same number of stitches to be cast on on the next row directly over the bound-off stitches. Work around buttonholes in Buttonhole Stitch.

For Crocheted Buttonholes—Chain the desired number of stitches, skip the same number of stitches on previous row and on next row, work over the chain stitches.

FINISHING A NEW GARMENT

BLOCKING: Using rust-proof pins, pin each piece, wrong side out, on a pressing board in exactly the line you wish to retain. Use a damp cloth and moderately hot iron, press lightly, allowing the steam to go through the garment. Lay it on a flat surface until thoroughly dry.

JOINING: Sew pieces together, being careful that the edges meet evenly. Be careful to match rows wherever possible.

BEADING: Fasten yarn, chain 5, * skip 2 stitches, 1 double crochet in next stitch, chain 2, repeat from * around edge of garment.

CASING FOR ELASTIC (inside at waistline): Fasten yarn, * chain 5, skip 2 stitches, 1 slip stitch in stitch ½ inch below next stitch, chain 5, skip 2 stitches, 1 slip stitch in next stitch ½ inch above, repeat from *.

WASHING: Make suds in lukewarm water using mild alkali free flakes such as *Ivory Soap Flakes.* For superior washing results, the addition of a good water normalizer, such as Calgon, to your soap and water is recommended. Likewise, for improved rinsing results, the addition of Calgon or some other good water normalizer is beneficial. Squeeze suds through fabric. Do not rub. Handle gently, do not lift out of water, as the weight of the wet garment will stretch it. Keep garment supported by the hands when squeezing out water. Rinse thoroughly three times in lukewarm normalized water. Squeeze out as much water as possible, do not twist or wring, and roll in dry turkish towels to absorb excess moisture. Shape garment according to measurements and lay it on a turkish towel on a flat surface until thoroughly dry. Ribbing should be eased in so that it will fit as snugly as when new. Never dry in sun or excessive heat.

This Is Important

DYE LOTS: Be sure to buy sufficient yarn at one time to complete your garment, making certain that each ball or skein has an identical set of dye lot letters, this is printed on the Band around the yarn, and is beside the color number.

GAUGE: Each Minerva Instruction gives a Gauge or Scale of the number of stitches to the inch when using the yarn and needles called for. If you work tighter than the average, change to larger needles; if you work looser, change to smaller needles, to acquire the same number of stitches to the inch called for in the instructions.

For complete satisfaction in the making of your hand-knitted garments illustrated in this book we recommend Minerva Yarns in the types specified. Also be sure and follow detailed instruction as to size of needles and gauge.

If you are unable to obtain Minerva Yarns in your local Art Needlework Department or Yarn Shop, write to James Lees and Sons Company, Bridgeport, Pennsylvania and we will send you the name of the Minerva Dealer nearest you.

STANDARD BODY MEASUREMENTS

Sizes	—14	—16	—18	—20
Bust	—32″	—34″	—36″	—38″
Waist	—26½″	—28″	—30″	—32″
Hips	—35″	—37″	—39″	—41″

LEAD THE FASHION PARADE

Use Minerva Knitting Books

●

VOLUME No. 73 . . . MINERVA STYLE BOOK

High style and basic dresses, suits and coats—also high style fashions for evening.

VOLUME No. 72 . . . MINERVA AFGHAN BOOK

A collection of twelve favorite afghans—one for every purpose—knitted and crocheted. Among the favorites are beautiful cross stitch patterns worked on crocheted afghan stitch squares or strips.

VOLUME No. 71A . . . FASHION BULLETIN

High style dress and three-piece suit—crocheted hat, bag and cuff set. Sizes in this bulletin include 12, 14, 16 and 18.

VOLUME No. 71 . . . MINERVA STYLE BOOK

High style dresses and suits—cardigans, slipovers and sleeveless sweaters. Sizes in this book include—12, 14, 16, 18 and 20.

VOLUME No. 70 . . . MINERVA MEN'S BOOK

A complete assortment of sweaters and accessories for men, including our Arrowhead sweater "THE CHIEF." Sizes in this book include 36, 38, 40, 42 and 44.

VOLUME No. 69 . . . MINERVA TEEN-AGE TOGS

Sweaters for girls and boys—cardigans, slipovers and sleeveless sweaters. Sizes in this book include—10, 12, 14, 16 and 18.

VOLUME No. 68 . . . MINERVA HAND KNITS

High style and basic sweaters, hats, purses and other accessories, including the LACONIA Norwegian Ski Set.

VOLUME No. 67 . . . MINERVA BABY BOOK

Infants and children to size 4. The SUSIE Knitted Washable Doll.

●

JAMES LEES and SONS COMPANY

Bridgeport, Penna.

NEW YORK OFFICE: 295 Fifth Avenue
New York 16, N. Y.

CHICAGO OFFICE: 222 N. Bank Drive
Chicago 54, Ill.

LOS ANGELES OFFICE: 722 S. Los Angeles St.
Los Angeles 14, Calif.

GIBSON GIRL
No. 7411

Instructions page 22